

From

The Head  
Department of Microbiology  
PAU, Ludhiana.

To

The Principal  
Greenland Sen sec Public School  
Jalandhar Bypass  
Ludhiana

Memo. No. 2805  
Dated: 25/06/2021

Subject: Bacteriological quality of drinking water (IS-10500:1991, BIS New Delhi).

Reference is made to your letter No. nil dated 22.06.2021 regarding sample of water for bacteriological analysis.


#### REPORT

S. No.	Source	Coliform organisms		Faecal Coliform / E. coli Detected / Not detected
		Present/ Absent	Most Probable Number index ( $<10/100\text{ml}$ )	
01	Water Sample	Absent	--	Not Detected

#### INFERENCE

Bacteriologically safe :- 01


Bacteriologically not safe :- nil

  
25/6/21

Incharge  
Water Testing Lab  
Department of Microbiology  
PAU, Ludhiana

NOTE: This result relates to the sample provided to us and laboratory is not responsible for drawing/collecting of samples. The contents of this report are meant for your guidance and should not be used for Advertisement, Evidence and Litigation. This test document shall not be reproduced without the permission of the University.

Sant Kirpal Vidyak Mission (Regd.)

  
Chairman

  
Principal

GREEN LAND SR. SEC. PUBLIC SCHOOL  
Ludhiana

Head

Department of Microbiology



**Punjab Agricultural  
University  
Ludhiana**

GST IN:  
03AAABP0216H1Z7

**Invoice**

Date: 22-06-2021  
Invoice No: IPAUDOMB/2110260

IRN No.:

**Billed to:**

Customer Name:	GREENLAND SR SEC PUBLIC SCHOOL		
Customer Address:	JALANDHAR BYEPASS LUDHIANA		
Customer GST No:		Customer Phone:	9876090920
State Code/Name:	03-Punjab	Place of Supply:	03-Punjab

**Shipped to:**

Customer Name:			
Customer Address:			
Customer GST No:		Customer Phone:	
State Code/Name:			

S.No.	Product/Service	HSN Code/SAC	SKU	UQC	Price per SKU	Quantity	Total	Discount	CGST	SGST	IGST	CESS
1	Sample Testing (Microbiology)(Water Sample Testing)(0)	998346	1	NOS-Numbers	100	1	100.00	0.00(0%)	0.00(0.00%)	0.00(0.00%)	0.00(0.00%)	0.00(0%)
Total							100.00	0.00				

Sub Total: ₹ 100.00

Discount(-): ₹ 0.00

Taxable Amount: ₹ 100.00

Total GST(+): ₹ 0.00

Total CESS(+): ₹ 0.00

Mode of Payment: cash  
Payment details:  
Receipt Details:  
Receipt No.: R/PAU/DOB/2120255  
Received ₹ One Hundred rupees and paise

Freight or other charges: ₹ 0  
Labour charges: ₹ 0  
Total Amount: ₹ 100.00  
Amount in Words: One Hundred rupees and paise

**TERMS & CONDITIONS**

1. The sold seed /product will not be taken back.
2. Weight, no. of products and quality of products can be checked at the time of delivery.
3. The rates are inclusive of packing charges, F.O.R. ex-supplying farm.
4. The seed is allocated /sold for seed multiplication and not for further sale.
5. PAU will not be responsible for any damage to the seed (physical purity & germination) during transportation, heat up during storage etc. after sale. PAU will be only responsible for genetic purity of seed.
6. All disputes are subject to Ludhiana jurisdiction only.

**CAUTION NOTICE**

The Performance of varieties / seeds sold by PAU shall hold good only when the seeds after purchase are:

- stored under optimum storage conditions.
- protected from the ill effects of the environment like rain, temperature, humidity etc.
- protected from storage pests and diseases.
- grown under optimum conditions.
- not mixed with other variety seeds during planting of nurseries, transplanting and sowing and minimum isolation distance must be kept to maintain its genetic purity.

Sant Kirpal Vidyak Mission (Regd.)

*[Signature]*  
Chairman

*[Signature]*

Principal  
GREEN LAND SR. SEC. PUBLIC SCHOOL  
Ludhiana


*[Signature]*  
Authorized Signatory

**TO WHOM IT MAY CONCERN**

NO 2805

Dated 06.07.2021

It is intimated that the Sanitary condition of Green Land Sr. Sec. Public School , G.T Road near Jalandhar Bye pass, Ludhiana was found satisfactory as per Sanitary Inspector Report.



*Reddy*  
Nodal Officer

Municipal Corporation , Ludhiana

*Prandher*

Principal  
GREEN LAND SR. SEC. PUBLIC SCHOOL  
Ludhiana